

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	65624	polic\$3 rul\$3 with routing with topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:10
L2	98	(polic\$3 rul\$3) with routing with topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:25
L3	2375	(polic\$3 rul\$3) near2 routing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:25
L4	2615	(routing forward\$3) adj2 (polic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:26
L5	378	4 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:26
L6	446	(routing forward\$3) adj2 (polic\$3 rul\$3) same source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:30
L7	41	6 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:30
L8	401	(routing forward\$3) adj2 (polic\$3 rul\$3) same network?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:36
L9	25	8 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:37
L10	0	(routing forward\$3) adj2 (polic\$3 rul\$3) and source adj5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:41
L11	655	(routing forward\$3) adj2 (polic\$3 rul\$3) and source adj5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:36

L12	198	(routing forward\$3) adj2 (polic\$3 rul\$3) same source adj5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:38
L13	8	12 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:38
L14	335	(routing forward\$3) adj2 (polic\$3 rul\$3) and (polic\$3 rul\$3) same source adj5 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:44
L15	12	14 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:41
L16	0	(routing forward\$3) adj2 (polic\$3 rul\$3) same topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:41
L17	91	(routing forward\$3) adj2 (polic\$3 rul\$3) same topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:53
L18	19	17 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:18
L19	22	(routing forward\$3) same source adj5 address same treatment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:45
L20	16	("20010025309" "20020095462" "20020099854" "5642513" "5781550" "5793954" "5842040" "5864666" "5872783" "5903559" "6154776" "6167395" "6170011" "6246684" "6332154" "6452915").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 12:47
L21	18	("5473607" "5528595" "5530703" "5541911" "5606668" "5761424" "5790554" "5802320" "5835726" "5835727" "5878231" "5884025" "5889953" "5889958" "5951649" "5983270" "6104700" "6157955").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 12:51
L22	1040	(forward\$3) adj2 (polic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:53
L23	273	(forward\$3) adj2 (polic\$3 rul\$3) same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:53

L24	23	23 and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:57
L25	63	routing adj topology and @ad<"19971003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:19